



BUILDING STRENGTH™

DAYTON SUPERIOR
CONCRETE CHEMICALS

PRICE BOOK

PRICES EFFECTIVE
APRIL 30, 2018

LAST UPDATED
AUGUST 28, 2018



Table of Contents

Categorized Listing

Epoxies

Gel / Paste

- Sure Anchor™ J50
- Sure Anchor™ I J51
- All Weather J51 AW

Joint Fillers

- Sure Fil™ J52

Injection Resin

- Sure Inject™ J56
- Sure Inject™ J56 SLV

Healer/Sealer

- Sure Seal™ HMWM
- Sure Seal™ LV/LM

Medium Viscosity Bonder

- Sure Bond™ J58
- Sure Bond™ J58 LPL

Epoxy Grouts

- Epoxy Grout J55

Resinous Repair

- Rapid Resin Repair
- Sure Patch™

Epoxy/Cement Based Bonding Agent/Rebar

- Primer
- Perma Prime™ 3C

Epoxy Rebar Spray

- Rebar Spray J62

Flexible Epoxy Loop Sealant

- Loop Sealant J606

Traffic Deck Coating

- Sure Seal™ Traffic Deck Coating

Liquids

Accelerating Admixtures

- C-Set
- Q-Set

Bond Breakers

- Solvent Based
 - Sure Lift™ with Dye J6D
 - Sure Lift™ J6LVOC

Water Based

- Sure Lift™ J6WB
- Maxi Tilt™ with Dye
- Super Maxi Tilt™

Cleaners / Strippers

- Citrus Cleaner J48
- Green Bean Clean®

Cures & Seals

- Water Based/Earth Friendly
 - Cure & Seal 309 EF
 - Cure & Seal 1315 EF

Water Based

- Cure & Seal 309 J18
- Cure & Seal 1315 J22WB

Solvent Based

- Cure & Seal LV 25% J20UV
- Cure & Seal 25% Brown

- Cure & Seal 25% J22UV

- Cure & Seal 30% J23UV

Curing Compounds

Wax Based

- City White Cure J8
- White Wax Cure J9A
- White Wax Cure CRD300

Resin Based

- Clear Cure VOC J7WB
- Cure Hard J14
- White Resin Cure J10W
- Clear Resin Cure J11W
- Resin Cure with Dye J11WD

Evaporation Retardants

- AquaFilm™ J74RTU
- AquaFilm™ Concentrate J74

Form Release Agents

- Clean Strip™ J1EF
- Clean Strip™ J1A
- Clean Strip™ J1A Winter Grade
- Clean Strip™ J5
- Clean Strip™ J2
- Clean Strip™ J2 Winter Grade
- Clean Strip™ Ultra J3
- Clean Strip™ J100 VOC
- Magic Kote®
- Pure Pro Zero

Latex Bonding Agents / Additives

- Acrylic Bonding Agent J40
- PVA Bonding Agent J41
- Level Primer J42
- Level Primer J42RTU

LEED / Green

- Clean Strip™ J1EF
- Cure & Seal 309 EF
- Cure & Seal 1315 EF
- Ultra Seal EF

Liquid Densifiers

- Densifier Concentrate J12
- Densifier J13
- Pentra-Hard® Densifier
- Sure Hard™ Densifier J17
- PENTRA-HARD® Finish
- PENTRA-HARD® Guard
- PENTRA-HARD® EDH

Sealers

- Water Based/Earth Friendly
 - Ultra Seal EF
- Solvent Based
 - Aggregloss™ J25
 - Aggregloss™ Satin J25S
 - Anti Spall J33
 - Tuf Seal™ J35
 - Tuf Seal™ Satin J35S
- Anti Slip Additive
 - Grip Aid

Table of Contents

Categorized Listing

Concrete Dissolver

Dissolve It

Surface Retarders

Top Cast®

Top Cast® SS-100

Water Repellents

Water Based

Weather Worker™ 10% J26WB

Solvent Based

Weather Worker™ 40% J29

Weather Worker™ 100% J29A

Powders

Concrete Repair

General Use Repair Mortars

PolyFast™ FS

Recrete™ 5 Minute

Recrete™ 20 Minute

Recrete™ Light 20 Minute

Vertical / Overhead Repair

Architectural Finish™

Perma Patch™ VO

HD 25 VO

Civil/Structural VO

Form & Pour Repair

Civil/Structural FPX

Perma Patch™ FP

Horizontal Repair Mortars

Thin ReSurfacer

Special Patch

HD 50

Pave Patch 3000

Resin Based Repair Mortars

Sure Patch™

Epoxy/Cement Based Bonding Agent/Rebar Primer

Perma Prime™ 3C

Specialty Repair

Anchor All

Waterstop™

Hardeners/Industrial Toppings

Emery Tuff Light Reflective

Emery Tuff Natural

Emery Non-Slip

Emery Tuff Top

Emery Tuff Top Flowable

Ferro Tuff Natural

Quartz Tuff Light Reflective

Quartz Tuff Natural

Floor Levelers

Levelayer®

Econolevel™

Sure Finish™

Level Primer J42RTU

Level Primer J42

Level Topping™

Level Topping™ Exterior

Grouts

Cement Based Grout

1107 Advantage™ Grout

Sure-Grip® High Performance Grout

Sure-Grip® Precision Grout

Dri Pak Precast Grout

Turbo Grout HP12®

Turbo Grout LT12

Underwater Grout

D490 Sleeve-Lock® Grout

Epoxy Grout

Epoxy Grout J55

Waterproofing/Coating

Vertical/Overhead

Seal Coat 1000™

Tools/Equipment

Underlayment Tool Kit

Spray-Pro DC

Spray-Pro AC

AT1500X Pneumatic 1:1 Gun (51 OZ.)

AT600 Pneumatic 1:1 Gun (22 OZ.)

AT825 Pneumatic 10:1 Gun (28 OZ.)

B26 Manual Caulk Gun

Black Blue Push Connector

Corner Port w/ Cap

Drill Port w/ Cap

High Flow Nozzle w/ Extension

Machine Surface Port w/ Cap

Surface Port w/ Cap

T600 Manual 1:1 Caulking Tool (22 OZ.)

Battery Operated Caulking Tool w/ 600 ML

T825 Manual 10:1 Caulking Tool (28 OZ.)

Epoxies

Gel / Paste

Sure Anchor™ J50

Ideal for anchoring bolts, dowels, and reinforcing steel in concrete. It is also great for vertical and horizontal structural bonding and patching. It may be used to seal cracks and set injection ports prior to injection grouting.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	Gun	*
SURE ANCHOR J50 600ML - 12/CASE DSC	600 ml cartridge (12/case)	307449	\$35.52 EA	3.00 EA	T600 AT600	F
SURE ANCHOR J50 1500ML DSC	1500 ml cartridge	139888	\$49.77 EA	6.75 EA	AT1500X	F
SURE ANCHOR J50 1G DSC	1 gallon unit	307447	\$92.16 EA	14.64 EA		F
SURE ANCHOR J50 2G DSC	2 gallon unit	307448	\$166.51 EA	21.00 EA		F
SURE ANCHOR J50 10G DSC	10 gallon unit	307451	\$816.06 EA	135.00 EA		F

Sure Anchor™ I J51

Used for vertical and horizontal structural bonding and patching and/or for anchoring bolts, dowels, and reinforcing steel in concrete. It may be used to seal cracks and set injection ports prior to injection grouting.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	Gun	*
SURE ANCHOR I J51 250ML DSC - 12/CASE DSC	250 ml unicartridge (12/case)	139887	\$25.99 EA	1.50 EA	B26	F
SURE ANCHOR I J51 600ML - 12/CASE DSC	600 ml cartridge (12/case)	69359	\$35.52 EA	2.45 EA	T600 AT600	F
SURE ANCHOR I J51 1500ML - 8/CASE DSC	1500 ml cartridge (8/case)	306204	\$49.77 EA	6.75 EA	AT1500X	F
SURE ANCHOR I J51 HALF G KIT	half gallon kit	146230	\$51.56 EA	6.00 EA		F
SURE ANCHOR I J51 1G DSC	1 gallon unit	69364	\$92.06 EA	14.65 EA		F
SURE ANCHOR I J51 2G DSC	2 gallon unit	69368	\$166.51 EA	26.20 EA		F
SURE ANCHOR I J51 2 PART KIT 10 G DSC	10 gallon unit	69365	\$752.41 EA	134.00 EA		F

Epoxies

Gel / Paste

All Weather J51 AW

Effective for anchoring dowels, bolts, threaded rods, pins and reinforcement steel in concrete. All Weather J51 AW can also be used in cooler and freezer applications or anywhere low temperature installations are required.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	Gun	*
ALL WEATHER J51 AW 275ML - 12/CASE DSC	275 ml unicartridge (12/case)	139886	\$29.07 EA	1.33 EA	B26	F
ALL WEATHER J51 AW 825ML - 8/CASE DSC	825 ml cartridge (8/case)	308482	\$40.29 EA	3.55 EA	T825 AT825	F

Joint Fillers

Sure Fil™ J52

Used to fill joints in industrial floors exposed to hard wheeled traffic and is useful for contraction/construction joints that are cut or formed. Sure Fil J52 may be used for the repair of damaged or spalled joint nosing and cracks.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	Gun	*
SURE FIL J52 600ML - 12/CASE DSC	600 ml unit (12/case)	143340	\$49.77 EA	2.45 EA	T600 AT600	F
SURE FIL J52 1G DSC	1 gallon unit	143341	\$99.99 EA	11.35 EA		F
SURE FIL J52 2G DSC	2 gallon unit	307678	\$193.21 EA	21.00 EA		F
SURE FIL J52 10G DSC	10 gallon unit	307679	\$932.78 EA	116.00 EA		F

Injection Resin

Sure Inject™ J56

The primary use of J56 is for pressure injection and gravity feed crack repair in concrete and masonry. It can also be used to seal interior slabs and exterior above-grade slabs.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	Gun	*
SURE INJECT J56 400ML - 12/CASE DSC	400 ml cartridge (12/case)	307510	\$34.00 EA	1.46 EA	T600	F
SURE INJECT J56 1G DSC	1 gallon unit	143338	\$89.90 EA	11.26 EA		F
SURE INJECT J56 3G DSC	3 gallon unit	307509	\$258.49 EA	31.50 EA		F
SURE INJECT J56 15G DSC	15 gallon unit	143339	\$1,230.66 EA	149.00 EA		F

Epoxies

Injection Resin

Sure Inject™ J56 SLV

The primary use for Sure Inject J56SLV is for pressure injection and gravity feed crack repair in concrete and masonry. It can also be used to seal interior slabs and exterior above-grade slabs.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	Gun	*
SURE INJECT J56 SLV 400ML - 12/CASE DSC	400 ml cartridge (12/case)	309352	\$40.39 EA	2.25 EA	T600	F
SURE INJECT J56 SLV 1G DSC	1 gallon unit	309353	\$104.24 EA	11.12 EA		F
SURE INJECT J56 SLV 3G DSC	3 gallon unit	309354	\$293.80 EA	35.00 EA		F
SURE INJECT J56 SLV 15G DSC	15 gallon unit	309355	\$1,435.91 EA	145.00 EA		F

Healer/Sealer

Sure Seal™ HMWM

Formulated to be used as a healer/sealer on concrete bridge decks, parking structures, runways or other structurally sound horizontal concrete.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
SURE SEAL HMWM PARTA 5G	5 gallon part A Sure Seal HMWM Resin	145723	\$412.57	42.60 EA	
SURE SEAL HMWM PARTB PINT	Pint part B Sure Seal HMWM Promoter	145725	\$23.87	1.60 EA	
SURE SEAL HMWM PARTC QUART	Quart part C Sure Seal HMWM Initiator	145726	\$57.31	1.60 EA	
SURE SEAL HMWM PARTA 55G	55 gallon part A Sure Seal HMWM Resin	145724	\$4,498.73	9.55 EA	
SURE SEAL HMWM PARTB PINT/CASE	Pint/case part B Sure Seal HMWM Promoter	145728	\$272.08	22.00 EA	
SURE SEAL HMWM PARTC QUART/CASE	Quart/case part C Sure Seal HMWM Initiator	145729	\$653.32	9.10 LB	
SURE SEAL HMWM PARTD 1G/CASE (OPTIONAL)	1 gallon Part D Sure Seal HMWM Accelerator	145727	\$37.63	9.10 LB	

Sure Seal™ LV/LM

Used for sealing and protection of interior concrete slabs such as cracks in concrete bridge decks and parking deck slabs or protecting and sealing concrete in splash zone areas.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
SURE SEAL LV/LM 15G DSC	15 gallon unit	139815	\$1,395.15 EA	145.00 EA	

Epoxies

Medium Viscosity Bonder

Sure Bond™ J58

The primary use of the Sure Bond J58 is for bonding fresh concrete to hardened concrete. It has excellent adhesion to most construction materials and may be used for anchoring bolts, dowels and reinforcing steel in concrete.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
SURE BOND J58 1G DSC	1 gallon unit	307267	\$99.57 EA	12.93 EA	F
SURE BOND J58 2G DSC	2 gallon unit	307268	\$171.53 EA	22.00 EA	F
SURE BOND J58 10G DSC	10 gallon unit	307271	\$835.87 EA	120.00 EA	F

Sure Bond™ J58 LPL

Primarily used for bonding fresh concrete to hardened concrete or steel and has excellent adhesion to most construction materials.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
SURE BOND J58 LPL 1G DSC	1 gallon unit	143336	\$95.14 EA	11.35 EA	F
SURE BOND J58 LPL 3G DSC	3 gallon unit	309332	\$276.03 EA	31.50 EA	F
SURE BOND J58 LPL 15G DSC	15 gallon unit	139885	\$1,345.58 EA	145.00 EA	F

Epoxy Grouts

Epoxy Grout J55

This epoxy is good for anchor bolts and sleeves, supporting pumps, mill tables, crushers, crane rails, engines, compressors, rotary equipment and other heavy machinery requiring a stable and energy absorbing base subject to dynamic loads to maintain precision alignment.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
EPOXY GROUT J55 0.5CU.FT. UNIT DSC	.5 cu. ft. unit	309213	\$184.15 EA	71.60 EA	F
EPOXY GROUT J55 2CU.FT. UNIT DSC	2 cu. ft. unit	309214	\$518.97 EA	287.00 EA	F

Resinous Repair

Rapid Resin Repair

Specifically formulated, designed and engineered for use as an all weather, interior/exterior concrete spall and crack patching and repair mortar where a rapid turn around time is critical or cold conditions are a concern. Rapid Resin Repair can be used for patching of bridge decks, overpasses and roadways surfaces, freezers and cold room floors, airport runways, warehouse floors and any concrete slab or floor traffic way in need of repair or patching.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
RAPID RESIN REPAIR 0.45 CU FT UNIT DAYTON	0.45 cu. ft. unit	309087	\$198.16 EA	53.00 EA	F

Epoxies

Resinous Repair

Sure Patch™

Used for epoxy interior or exterior concrete repair and overlays on interior horizontal surfaces such as industrial and commercial applications subjected to abrasion and or chemical spills.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
SURE PATCH 0.5CU.FT. DSC	0.5 cu. ft. unit	139890	\$206.94 EA	61.50 EA	
SURE PATCH 2.0CU.FT. DSC	2.0 cu. ft. unit	139891	\$647.45 EA	224.00 EA	

Epoxy/Cement Based Bonding Agent/Rebar Primer

Perma Prime™ 3C

This product is a bonding agent for new to hardened concrete, cementitious or epoxy repair mortars. It is also a corrosion inhibitor that can be used for reinforcing steel.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
PERMA PRIME 3C 3.2G DSC	3.2 gallon unit	139813	\$279.03 EA	50.00 EA	

Epoxy Rebar Spray

Rebar Spray J62

Designed as a protective coating to touch-up damaged epoxy coating, such as nicks, scratches etc., on rebar.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
REBAR SPRAY J62 12OZ. DSC	11 oz. spray can (12/case)	69660	\$27.98 EA	1.73 EA	F

Flexible Epoxy Loop Sealant

Loop Sealant J606

Used for securing wiring and lighting fixtures in roadways and airport runways and taxiways in both asphalt and concrete substrates.

Description	Packaging	Product Code	MSRP	Weight (lbs)	
LOOP SEALANT J606 2G	2 gallon unit	146274	\$241.24 GL	18.00 GL	
LOOP SEALANT J606 10G	10 gallon unit	146275	\$1,123.85 GL	10.00 GL	

Epoxies

Traffic Deck Coating

Sure Seal™ Traffic Deck Coating

Designed to waterproof and resurface the entire parking deck horizontal substrate. Application suitability includes the following: elevated interior and exposed decks, ramps, turning circles, pedestrian lanes and helixes. Sure Seal Traffic Deck Coating can also be used as a binder for producing a high strength epoxy mortar to repair concrete decks prior to an overlay installation.

Description	Packaging	Product Code	MSRP	Weight (lbs)
SURE SEAL TRAFFIC DECK 10G	10 gallon unit	146179	\$604.09	97.00 LB
SURE SEAL TRAFFIC DECK 110G	110 gallon unit	146180	\$4,815.31	1040.00 LB
SURE SEAL TRAFFIC DECK 500G	500 gallon unit	146181	\$20,349.21	4608.00 LB

Liquids

Accelerating Admixtures

C-Set

Specifically formulated for use in cold weather or wherever it is desirable to reduce the setting time, increase early strength and improve mortar workability. Use C-Set as a replacement for accelerators based on calcium chloride only. C-Set accelerates the strength gain of masonry mortar, reducing the potential for freeze damage at early stages.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
C-SET 5 GL PAIL/DAYTON	5 gallon pail	144023	\$12.04 GL	10.70 GL	

Q-Set

Formulated for use in cold weather or wherever it is desirable to reduce the setting time, increase early strength and improve mortar workability. Q-Set can be used to prevent the corrosive effect of calcium chloride admixtures and where the corrosion of imbedded steel, steel reinforcement or ties must be avoided.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
Q-SET 5 GL PAIL	5 gallon pail	145286	\$13.46 GL	9.60 GL	

Bond Breakers

Solvent Based

Sure Lift™ with Dye J6D

Created to allow for easy lifting of tilt wall panels from properly designed, finished and cured concrete casting beds.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
SURE LIFT WITH DYE J6D 5G DSC	5 gallon pail	69233	\$28.82 GL	7.80 GL	F
SURE LIFT WITH DYE J6D 55G DSC	55 gallon drum	69231	\$19.46 GL	7.80 GL	F

Liquids

Bond Breakers

Solvent Based

Sure Lift™ J6LVOC

Designed to allow for easy lifting of tilt wall panels from properly designed, finished and cured concrete casting beds.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
SURE LIFT J6LVOC 5G DSC	5 gallon pail	100026	\$29.40 GL	7.80 GL	F
SURE LIFT J6LVOC 55G DSC	55 gallon drum	100027	\$26.72 GL	7.80 GL	F

Water Based

Sure Lift™ J6WB

Designed to allow for easy lifting of tilt wall panels from properly designed, finished and cured concrete casting beds.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
SURE LIFT J6WB 5G DSC	5 gallon pail	307915	\$17.82 GL	8.84 GL	F
SURE LIFT J6WB 55G DSC	55 gallon drum	307914	\$15.40 GL	8.84 GL	F

Maxi Tilt™ with Dye

Designed to allow for easy lifting of tilt wall panels from properly designed, finished and cured concrete casting beds.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
MAXI TILT WITH DYE 5G DSC	5 gallon pail	273088	\$18.06 GL	8.84 GL	F
MAXI TILT WITH DYE 55G DSC	55 gallon drum	273087	\$15.66 GL	8.84 GL	F

Super Maxi Tilt™

Allows for easy lifting of tilt wall panels from properly designed, finished and cured concrete casting beds.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
SUPER MAXI TILT	55 gallon drum	273354	\$25.85 GL	7.80 GL	F

Liquids

Cleaners / Strippers

Citrus Cleaner J48

Used for stripping, degreasing and cleaning all types of concrete when it is necessary to remove dirt, tire marks, oil spills, grease and other contaminants. Citrus Cleaner J48 will also strip most curing compounds. It is an ideal application for warehouses, industrial plants, food processing plants, automotive plants, parking garages, plazas and service stations.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CITRUS CLEANER J48 1G DSC	1 gallon (6/case)	69298	\$52.50 GL	7.75 GL	F
CITRUS CLEANER J48 5G DSC	5 gallon pail	69297	\$47.60 GL	7.75 GL	F
CITRUS CLEANER J48 55G DSC	55 gallon drum	69296	\$45.92 GL	7.75 GL	F

Green Bean Clean®

A great cleaner to remove most sealers, cure & seals, urethanes, paint or varnish from concrete, masonry and wood. Green Bean Clean's thick gel consistency enables long dwell times to reduce number of applications and is ideal for both vertical and horizontal.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
GREEN BEAN CLEAN 1G DSC	1 gallon bottle (6/case)	308468	\$97.91 GL	9.70 GL	F
GREEN BEAN CLEAN 5G DSC	5 gallon pail	308471	\$81.61 GL	9.70 GL	F
GREEN BEAN CLEAN 55G DSC	55 gallon drum	308474	\$79.26 GL	9.70 GL	F

Cures & Seals

Water Based/Earth Friendly

Cure & Seal 309 EF

Designed to be used on freshly finished concrete as an earth friendly membrane forming curing compound that surpasses the requirements of ASTM C309. Cure & Seal 309 EF can be used on both interior and exterior concrete surfaces. This ultra low VOC curing and sealing compound can be used in all VOC restricted regions throughout Canada and the United States.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CURE & SEAL 309 EF 5G DSC	5 gallon pail	309242	\$16.91 GL	9.09 GL	F
CURE & SEAL 309 EF 55G DSC	55 gallon drum	309243	\$14.57 GL	9.09 GL	F

Liquids

Cures & Seals

Water Based/Earth Friendly

Cure & Seal 1315 EF

Used on freshly finished concrete and surpasses the requirements of ASTM C-309 and C-1315. Cure & Seal 1315 EF can be used on both interior and exterior concrete surfaces.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CURE & SEAL 1315 EF 5G DSC	5 gallon pail	308669	\$27.75 GL	9.09 GL	F
CURE & SEAL 1315 EF 55G DSC	55 gallon drum	308670	\$25.41 GL	9.09 GL	F
CURE & SEAL 1315 EF 275G DSC	275 gallon drum	100329	GL	9.09 GL	F

Water Based

Cure & Seal 309 J18

A convenient, safe-to-use product that meets the ASTM C-309 standard as an effective membrane curing compound and is an excellent dustproofer and surface sealer. It is designed for interior and exterior use.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CURE & SEAL 309 J18 5G DSC	5 gallon pail	69223	\$17.48 GL	8.98 GL	F
CURE & SEAL 309 J18 55G DSC	55 gallon drum	69221	\$15.14 GL	8.98 GL	F

Cure & Seal 1315 J22WB

A water-based, safe to use product that surpasses the ASTM C-309 & ASTM C 1315 specifications as a superb membrane forming curing compound and it is an excellent dustproofer and surface sealer.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CURE & SEAL 1315 J22WB 5G DSC	5 gallon drum	307919	\$34.71 GL	9.01 GL	F
CURE & SEAL 1315 J22WB 55G DSC	55 gallon pail	307918	\$31.04 GL	9.01 GL	F

Solvent Based

Cure & Seal LV 25% J20UV

Provides a combination of curing, sealing and dustproofing for freshly finished interior or exterior concrete surfaces. It meets ASTM C309 & ASTM C-1315 specifications as an outstanding curing compound and is an excellent dustproofer and surface sealer.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CURE & SEAL LV 25% SB J20UV 5G DSC	5 gallon pail	280846	\$25.19 GL	7.90 GL	
CURE & SEAL LV 25% SB J20UV 55G DSC	55 gallon drum	202516	\$22.86 GL	7.90 GL	

Liquids

Cures & Seals

Solvent Based

Cure & Seal 25% Brown

Provides a combination curing, sealing and dustproofing and translucent brown tint for freshly finished exposed aggregate concrete surfaces. It meets the ASTM C-309 & ASTM C-1315 specifications as an outstanding curing compound and is an excellent dustproof and surface sealer.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CURE & SEAL 25% BROWN	5 gallon pail	202621	\$29.17 GL	7.95 GL	

Cure & Seal 25% J22UV

A combination curing, sealing and dustproofing product for freshly finished concrete surfaces. It meets the ASTM C-309 & ASTM C-1315 specifications as an outstanding curing compound and is an excellent dustproof and surface sealer.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CURE & SEAL 25% SB J22UV 5G DSC	5 gallon pail	69445	\$22.66 GL	7.89 GL	
CURE & SEAL 25% SB J22UV 55G DSC	55 gallon drum	69444	\$20.19 GL	7.89 GL	

Cure & Seal 30% J23UV

A combination curing, sealing and dustproofing product for freshly finished concrete surfaces. It meets the ASTM C-309 & ASTM C-1315 specifications as an outstanding curing compound and is an excellent dustproof and surface sealer.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CURE & SEAL 30% SB J23UV 5G DSC	5 gallon pail	69407	\$31.06 GL	7.98 GL	
CURE & SEAL 30% SB J23UV 55G DSC	55 gallon drum	69409	\$28.73 GL	7.98 GL	

Curing Compounds

Wax Based

City White Cure J8

This membrane forming cure is designed especially for curing curbs, gutters, sidewalks and other similar exterior concrete projects.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CITY WHITE CURE J8 5G DSC	5 gallon pail	120902	\$8.99 GL	8.88 GL	F
CITY WHITE CURE J8 55G DSC	55 gallon drum	120901	\$6.34 GL	8.88 GL	F
CITY WHITE CURE J8 275G DSC	275 gallon tote	200396	\$6.34 GL	8.74 GL	F

Liquids

Curing Compounds

Wax Based

White Wax Cure J9A

A curing compound formulated to retain moisture in freshly finished concrete to ensure full hydration of the cement. Specifically designed for use on exterior projects such as highway pavements, residential paving, airport runways, parking lots and other pavement projects.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
WHITE WAX CURE J9A 5G DSC	5 gallon pail	69165	\$10.14 GL	8.97 GL	F
WHITE WAX CURE J9A 55G DSC	55 gallon drum	69164	\$7.52 GL	8.97 GL	F
WHITE WAX CURE J9A 275G DSC	275 gallon tote	69144	\$7.52 GL	8.83 GL	F
WHITE WAX CURE J9A BULK TANKER DSC	bulk tanker	100127	\$7.52 GL	8.37 GL	F

White Wax Cure CRD300

Specially designed for use on exterior commercial projects, such as highways, airport runways, concrete lined canals, dams, parking lots, engineering projects and as specified.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
WHITE WAX CURE CRD300 5G DSC	5 gallon pail	306537	\$14.57 GL	8.89 GL	F
WHITE WAX CURE CRD300 55G DSC	55 gallon drum	306538	\$12.01 GL	8.89 GL	F
WHITE WAX CURE CRD300 275G DSC	275 gallon tote	306539	\$12.01 GL	8.75 GL	F

Resin Based

Clear Cure VOC J7WB

For use on freshly finished concrete as a membrane interior/exterior forming curing compound for both horizontal/vertical surfaces applications. Clear Cure VOC J7WB will, when properly applied, maintain moisture required for proper hydration of the cement.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CLEAR CURE VOC J7WB 5 GL PAIL DAYTON	5 gallon pail	143953	\$12.92 GL	9.60 GL	
CLEAR CURE VOC J7WB 55 GL DRUM DAYTON	55 gallon drum	143954	\$10.22 GL	9.60 GL	
CLEAR CURE VOC J7WB 275 GL TOTE DAYTON	275 gallon tote	143955	\$10.22 GL	9.50 GL	

Cure Hard J14

Ideal as a curing aid or can be used for hardening and dustproofing of interior and exterior, horizontal and vertical concrete surfaces.

Description	Packaging	Product Code	MSRP	Weight (lbs)	
CURE HARD J14 5G DSC	5 gallon drum	146531	\$8.96 GL	9.58 GL	
CURE HARD J14 55G DSC	55 gallon drum	146532	\$6.64 GL	9.58 GL	

Liquids

Curing Compounds

Resin Based

White Resin Cure J10W

A curing compound formulated to retain moisture in freshly finished concrete to insure full hydration of the cement. Designed for use on exterior commercial projects such as highway pavements, residential paving, airport runways, parking lots and other pavement projects.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
WHITE RESIN CURE J10W 5G DSC	5 gallon pail	69104	\$12.86 GL	9.06 GL	F
WHITE RESIN CURE J10W 55G DSC	55 gallon drum	69103	\$10.11 GL	9.06 GL	F
WHITE RESIN CURE J10W 275G DSC	275 gallon drum	309443	\$10.11 GL	9.06 GL	F

Clear Resin Cure J11W

A ready-to-use dissipating water-based resin curing compound for use on freshly finished horizontal and vertical concrete surfaces. Formulated to provide an effective curing membrane that will begin to dissipate after exposure to sunlight, weathering and/or traffic.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CLEAR RESIN CURE J11W 5G DSC	5 gallon pail	69116	\$11.26 GL	8.90 GL	F
CLEAR RESIN CURE J11W 55G DSC	55 gallon drum	69115	\$8.83 GL	8.90 GL	F
CLEAR RESIN CURE J11W 275G DAYTON	275 gallon tote	280812	\$8.83 GL	8.76 GL	F

Resin Cure with Dye J11WD

A ready-to-use dissipating water-based resin curing compound for use on freshly finished horizontal and vertical concrete surfaces. Formulated to provide an effective curing membrane that will begin to dissipate after exposure to sunlight, weathering and/or traffic.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
RESIN CURE WITH DYE J11WD 5G DSC	5 gallon pail	68929	\$12.01 GL	8.90 GL	F
RESIN CURE WITH DYE J11WD 55G DSC	55 gallon drum	68928	\$9.56 GL	8.90 GL	F
RESIN CURE WITH DYE J11WD 275G DSC	275 gallon tote	306199	\$9.56 GL	8.76 GL	F

Liquids

Evaporation Retardants

AquaFilm™ J74RTU

Helps to produce dense, high quality concrete flatwork by greatly reducing the rate of evaporation of moisture from the concrete surface during the finishing process. This reduction of moisture loss allows time for proper finishing, while reducing plastic shrinkage cracking.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
AQUAFILM J74RTU 1G DSC	1 gallon (4/case)	309346	\$9.81 GL	8.93 GL	F
AQUAFILM J74RTU 5G DSC	5 gallon pail	309347	\$8.98 GL	8.93 GL	F
AQUAFILM J74RTU 55G DSC	55 gallon drum	309348	\$6.42 GL	8.93 GL	F

AquaFilm™ Concentrate J74

Works to produce dense, high quality concrete flatwork by greatly reducing the rate of evaporation of moisture from the concrete surface during the finishing process. This reduction of moisture loss allows time for proper finishing, while reducing plastic shrinkage cracking.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
AQUAFILM CONCENTRATE J74 1G DSC	1 gallon (4/case)	69730	\$41.98 GL	8.93 GL	F
AQUAFILM CONCENTRATE J74 5G DSC	5 gallon pail	69731	\$32.64 GL	8.90 GL	F
AQUAFILM CONCENTRATE J74 55G DSC	55 gallon drum	69732	\$30.32 GL	8.93 GL	F

Form Release Agents

Clean Strip™ J1EF

Ensures a clean, positive release on plywood, fiberglass, aluminum, steel, urethane and other concrete forming materials and form liners.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CLEAN STRIP J1EF 5G DSC	5 gallon pail	309374	\$7.73 GL	8.90 GL	F
CLEAN STRIP J1EF 55G DSC	55 gallon drum	309373	\$5.67 GL	8.90 GL	F
CLEAN STRIP J1EF 275G DSC	275 gallon tote	309372	\$5.67 GL	8.58 GL	F

Clean Strip™ J1A

Clean Strip J1A chemically releases hardened concrete from steel, aluminum, plywood, and composition forms.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CLEAN STRIP J1A 5G DSC	5 gallon pail	69201	\$13.38 GL	7.94 GL	
CLEAN STRIP J1A 55G DSC	55 gallon drum	69200	\$11.13 GL	7.94 GL	
CLEAN STRIP J1A 275G DSC	275 gallon tote	69198	\$11.13 GL	7.79 GL	

Liquids

Form Release Agents

Clean Strip™ J1A Winter Grade

Clean Strip J1A Winter Grade chemically releases hardened concrete from steel, aluminum, plywood, and composition forms. It is specially formulated to maintain low viscosity and dry faster in cooler temperatures in comparison to conventional oil based form releases.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CLEAN STRIP J1A WINTER GRADE 5 GL PAIL/DAYTON	5 gallon pail	144014	\$14.04 GL	7.94 GL	
CLEAN STRIP J1A WINTER GRADE 55 GL DRUM / DAYTON	55 gallon drum	144015	\$11.68 GL	7.94 GL	
CLEAN STRIP J1A WINTER GRADE 275 GL TOTE / DAYTON	275 gallon tote	144016	\$11.68 GL	7.79 GL	

Clean Strip™ J5

Provides an effective release of concrete from steel, aluminum, and composition forms.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CLEAN STRIP J5	5 gallon pail	100153	\$17.85 GL	5.00 GL	

Clean Strip™ J2

Chemically releases hardened concrete from steel, aluminum, plywood, and composition forms.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CLEAN STRIP J2 5G DSC	5 gallon pail	143330	\$12.92 GL	7.94 GL	
CLEAN STRIP J2 55G DSC	55 gallon drum	143331	\$10.35 GL	7.94 GL	
CLEAN STRIP J2 275G DSC	275 gallon tote	143332	\$10.35 GL	7.79 GL	

Clean Strip™ J2 Winter Grade

Clean Strip J2 Winter Grade is specially formulated to maintain low viscosity and dry faster in cooler temperatures in comparison to conventional oil based form releases. It chemically releases hardened concrete from steel, aluminum, plywood, and composition forms.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CLEAN STRIP WINTER GRADE J2W 5G DSC	5 gallon pail	143327	\$14.70 GL	7.94 GL	
CLEAN STRIP WINTER GRADE J2W 55G DSC	55 gallon drum	143328	\$11.00 GL	7.94 GL	
CLEAN STRIP WINTER GRADE J2W 275G DSC	275 gallon tote	143329	\$11.00 GL	7.79 GL	

Liquids

Form Release Agents

Clean Strip™ Ultra J3

In conjunction with good concrete placement and forming technique, this quality product promotes easy stripping and minimizes form clean up. It is non-staining, and reduces the number of surface air voids (bugholes) on regular and superplasticized concrete. In addition, it chemically releases hardened concrete from steel, aluminum, plywood, and composition forms.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CLEAN STRIP ULTRA J3 5G DSC	5 gallon pail	309133	\$20.18 GL	7.60 GL	
CLEAN STRIP ULTRA J3 55G DSC	55 gallon drum	309134	\$17.63 GL	7.60 GL	
CLEAN STRIP ULTRA J3 275G DSC	275 gallon tote	309135	\$17.63 GL	7.46 GL	

Clean Strip™ J100 VOC

Clean Strip J100 VOC chemically releases hardened concrete from steel, aluminum, plywood, and composition forms.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CLEAN STRIP J100 VOC DAYTON SUPERIOR 5 GAL PAIL	5 gallon pail	145014	\$13.56 GL	7.94 GL	
CLEAN STRIP J100 VOC 55 GAL DRUM DAYTON	55 gallon drum	145015	\$11.30 GL	7.94 GL	
CLEAN STRIP J100 VOC 275 GAL TOTE DAYTON	275 gallon tote	145016	\$11.30 GL	7.80 GL	

Magic Kote®

Magic Kote chemically releases hardened concrete from steel, aluminum, plywood, and composition forms.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
MAGIC KOTE DAYTON SUPERIOR 5G DSC	5 gallon pail	243131	\$14.00 GL	7.93 GL	
MAGIC KOTE DAYTON SUPERIOR 55G DSC	55 gallon drum	243000	\$11.37 GL	7.93 GL	
MAGIC KOTE DAYTON SUPERIOR 275G DSC	275 gallon tote	243694	\$11.37 GL	7.79 GL	

Pure Pro Zero

Pure Pro Zero is a biodegradable, VOC compliant, ready to use, petroleum based, chemically reactive concrete form release. It is used to chemically release hardened concrete from steel, aluminum, plywood and composition forms. It is usable in cold temperatures and highly VOC regulated areas.

Description	Packaging	Product Code			*
PURE PRO ZERO 5G DSC	5 gallon tote	100386	GL	GL	
PURE PRO ZERO 55G DSC	55 gallon tote	100387	GL	GL	
PURE PRO ZERO 275G DSC	275 gallon tote	100388	GL	GL	

Liquids

Latex Bonding Agents / Additives

Acrylic Bonding Agent J40

This ready to use, non-reemulsifiable acrylic admixture and bonding agent is designed to improve the adhesion and durability of concrete, masonry, stucco, terrazzo and portland cement-sand mixes to horizontal and vertical concrete and other surfaces.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
ACRYLIC BONDING AGENT J40 1G DSC	1 gallon (4/case)	69082	\$30.51 GL	9.16 GL	F
ACRYLIC BONDING AGENT J40 5G DSC	5 gallon pail	69081	\$23.73 GL	9.16 GL	F
ACRYLIC BONDING AGENT J40 55G DSC	55 gallon drum	69080	\$21.41 GL	9.16 GL	F
ACRYLIC BONDING AGENT J40 275G DSC	275 gallon drum	100001	\$21.41 GL	9.16 GL	F

PVA Bonding Agent J41

Used for bonding new to new or new to old concrete in interior horizontal or vertical applications or exterior vertical applications. PVA Bonding Agent J41 is excellent for use on concrete or cement board prior to plastering, in bonding mortar beds for setting tile or terrazzo or other areas where a reemulsifiable or rewettable surface applied bonding agent is desired.

Please Note: Do not use where frequent exposure to water is possible.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
PVA BONDING AGENT J41 1G DSC	1 gallon (4/case)	69112	\$53.85 GL	9.60 GL	F
PVA BONDING AGENT J41 5G DSC	5 gallon pail	69111	\$41.02 GL	9.60 GL	F
PVA BONDING AGENT J41 55G DSC	55 gallon drum	69305	\$37.78 GL	9.60 GL	F

Level Primer J42

Use Level Primer J42 prior to application of interior self leveling underlayments and floor toppings to reduce pinholes and improve the bond of the floor leveler to concrete surfaces.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
LEVEL PRIMER J42 1G DSC	1 gallon (4/case)	69114	\$61.78 GL	9.50 GL	F
LEVEL PRIMER J42 5G DSC	5 gallon pail	69113	\$47.79 GL	9.50 GL	F

Level Primer J42RTU

Use Level Primer J42RTU prior to application of interior self leveling underlayments and floor toppings to reduce pinholes and improve the bond of the floor leveler to concrete surfaces.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
LEVEL PRIMER J42RTU 1G DSC	1 gallon (4/case)	308190	\$53.85 GL	9.21 GL	F
LEVEL PRIMER J42RTU 5G DSC	5 gallon pail	308191	\$41.02 GL	9.21 GL	F

Liquids

LEED / Green

Clean Strip™ J1EF

Ensures clean, positive release on plywood, fiberglass, aluminum, steel, urethane and other concrete forming materials and form liners.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CLEAN STRIP J1EF 5G DSC	5 gallon pail	309374	\$7.73 GL	8.90 GL	F
CLEAN STRIP J1EF 55G DSC	55 gallon drum	309373	\$5.67 GL	8.90 GL	F
CLEAN STRIP J1EF 275G DSC	275 gallon tote	309372	\$5.67 GL	8.58 GL	F

Cure & Seal 309 EF

An Earth Friendly (EF), non-yellowing acrylic copolymer curing and sealing compound that may contribute to LEED Credits. EF formula is low odor and contains VOC < 100 g/L, making it VOC compliant in all regions. Cure & Seal 309 EF cures, seals and dustproofs freshly finished concrete surfaces.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CURE & SEAL 309 EF 5G DSC	5 gallon pail	309242	\$16.91 GL	9.09 GL	F
CURE & SEAL 309 EF 55G DSC	55 gallon drum	309243	\$14.57 GL	9.09 GL	F

Cure & Seal 1315 EF

Provides a combination curing, sealing and dustproofing for freshly finished concrete surfaces. It meets the ASTM C-309 & ASTM C-1315 specifications as an outstanding curing compound and is an excellent dustproofer and surface sealer.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CURE & SEAL 1315 EF 5G DSC	5 gallon pail	308669	\$27.75 GL	9.09 GL	F
CURE & SEAL 1315 EF 55G DSC	55 gallon drum	308670	\$25.41 GL	9.09 GL	F

Ultra Seal EF

Used on all existing concrete and decorative concrete surfaces where a glossy, film forming sealer is desired. Ultra Seal EF is non-yellowing, making it suitable for both interior and exterior applications. This ultra low VOC sealer can be used in all VOC restricted areas in the United States and Canada.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
ULTRA SEAL EF 1G DAYTON	1 gallon (4/case)	309454	\$47.57 GL	9.24 GL	F
ULTRA SEAL EF 5G DAYTON	5 gallon pail	309453	\$38.93 GL	9.24 GL	F
ULTRA SEAL EF 55G DAYTON	55 gallon drum	309455	\$36.44 GL	9.24 GL	F

Liquids

Liquid Densifiers

Densifier Concentrate J12

A concentrated material for hardening and dustproofing of interior and exterior, horizontal and vertical surfaces. Densifier Concentrate J12 does not discolor the concrete and does not produce objectionable odors.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
DENSIFIER CONCENTRATE J12 5G DSC	5 gallon pail	69021	\$13.65 GL	12.20 GL	F
DENSIFIER CONCENTRATE J12 55G DSC	55 gallon drum	69020	\$11.31 GL	12.20 GL	F

Densifier J13

A ready to use densifier for hardening and dustproofing of interior and exterior, horizontal and vertical concrete surfaces.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
DENSIFIER J13 5G DSC	5 gallon pail	69025	\$8.96 GL	9.58 GL	F
DENSIFIER J13 55G DSC	55 gallon drum	69024	\$6.64 GL	9.58 GL	F

Pentra-Hard® Densifier

Used on new and existing concrete to make the concrete more water, stain and abrasion resistant for easier maintenance and longer life. For applications where greater shine and stain resistance is required, such as schools, restaurants, commercial, retail, etc., use the the Durable Floor System™ (DFS) that applies the PENTRA-HARD Guard directly over the top of PENTRA-HARD Densifier.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
PENTRA HARD DENSIFIER 5 G PAIL DAYTON AVAIL IN US & CANADA	5 gallon pail	143610	\$26.89 GL	9.00 GL	F
PENTRA HARD DENSIFIER 55G DRUM DAYTON AVAIL IN US & CANADA	55 gallon drum	143611	\$25.86 GL	9.00 GL	F
PENTRA HARD DENSIFIER 275 G TOTE DAYTON AVAIL IN US & CANADA	275 gallon tote	143612	\$25.86 GL	8.95 GL	F

Liquids

Liquid Densifiers

Sure Hard™ Densifier J17

J17 is a premium product for hardening, dustproofing and sealing of concrete. It is excellent for concrete floor applications where long term resistance to dusting, black rubber tire marks and water is important.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
SURE HARD DENSIFIER J17 1G DSC	1 gallon (4/case)	68086	\$63.98 GL	8.40 GL	F
SURE HARD DENSIFIER J17 5G DSC	5 gallon pail	68084	\$27.39 GL	10.63 GL	F
SURE HARD DENSIFIER J17 55G DSC	55 gallon drum	68082	\$27.39 GL	10.53 GL	F

PENTRA-HARD® Finish

Used for interior flooring non-porous ground, honed, polished or burnished concrete surfaces. Use PENTRA-HARD Finish in conjunction with PENTRA-HARD Densifier application as part of the Durable Floor System™ or on previously densified, polished or hard (power) trowelled surfaces. It enhances the color intensity of integrally colored, dyed or acid stained concrete.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
PENTRA HARD FINISH 1 G JUG DAYTON AVAIL IN US & CANADA	1 gallon jug (4/case)	143609	\$167.51 GL	9.00 GL	F
PENTRA HARD FINISH 5 G PAILS DAYTON AVAIL IN US & CANADA	5 gallon pail	143606	\$161.54 GL	9.00 GL	F
PENTRA HARD FINISH 55 G DRUM DAYTON AVAIL IN US & CANADA	55 gallon drum	143607	\$159.24 GL	9.00 GL	F
PENTRA HARD FINISH 275 G TOTE DAYTON AVAIL IN US & CANADA	275 gallon tote	143608	\$159.24 GL	8.95 GL	F

PENTRA-HARD® Guard

Used for interior flooring non-porous ground, honed, polished or burnished concrete surfaces such as concrete floors and garages. When pretreated with PENTRA-HARD Densifier, PENTRA-HARD Guard is especially effective in creating a surface with superior performance and maintenance characteristics.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
PENTRA HARD GUARD 1 GL AVAIL IN US & CANADA	1 gallon jug (4/case)	144826	\$128.38 GL	9.00 GL	F
PENTRA HARD GUARD 5 GL AVAIL IN US & CANADA	5 gallon pail	144827	\$122.59 GL	9.00 GL	F
PENTRA HARD GUARD 55 GL AVAIL IN US & CANADA	55 gallon drum	144828	\$120.20 GL	9.00 GL	F
PENTRA HARD GUARD 275 GL AVAIL IN US & CANADA	275 gallon tote	144829	\$120.20 GL	8.95 GL	F

Liquids

Liquid Densifiers

PENTRA-HARD® EDH

Used as a treatment for cementitious materials and designed to improve the anti-scaling, abrasion resistance, and durability of driveways, sidewalks, entrances, patios, loading docks, parking garages, pavers and for any other suitable exterior concrete.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
PENTRA-HARD EDH EXTERIOR DENSIFIER - 1 GAL JUG AVAIL IN US & CANADA	1 gallon jug (4/case)	145603	\$80.87 GL	9.15 GL	F
PENTRA-HARD EDH EXTERIOR DENSIFIER - 5 GAL PAIL AVAIL IN US & CANADA	5 gallon pail	145604	\$75.59 GL	9.15 GL	F
PENTRA-HARD EDH EXTERIOR DENSIFIER - 55 GAL DRUM AVAIL IN US & CANADA	55 gallon drum	145605	\$73.44 GL	9.15 GL	F
PENTRA-HARD EDH EXTERIOR DENSIFIER - 275 GAL TOTE AVAIL IN US & CANADA	275 gallon tote	145606	\$73.44 GL	9.15 GL	F

Sealers

Water Based/Earth Friendly

Ultra Seal EF

Commonly used on existing concrete and decorative concrete surfaces where a glossy, film forming sealer is desired. Ultra Seal EF is non-yellowing which makes it suitable for both interior and exterior applications. This ultra low VOC sealer can be used in all VOC restricted areas in the United States and Canada.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
ULTRA SEAL EF 1G DAYTON	1 gallon (4/case)	309454	\$47.57 GL	9.24 GL	F
ULTRA SEAL EF 5G DAYTON	5 gallon pail	309453	\$38.93 GL	9.24 GL	F
ULTRA SEAL EF 55G DAYTON	55 gallon drum	309455	\$36.44 GL	9.24 GL	F

Solvent Based

Aggregloss™ J25

Used to seal, dustproof and enhance the beauty of new and old concrete, it is a film forming sealer for concrete, stamped concrete, exposed aggregate concrete or pavers.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
AGGREGLOSS J25 1G DSC	1 gallon (6/case)	69058	\$55.38 GL	8.23 GL	
AGGREGLOSS J25 5G DSC	5 gallon pail	69057	\$47.27 GL	8.23 GL	
AGGREGLOSS J25 55G DSC	55 gallon drum	69056	\$44.85 GL	8.23 GL	

Liquids

Sealers

Solvent Based

Aggregloss™ Satin J25S

Used to seal, dustproof and enhance the beauty of new and old concrete, it is a film forming sealer for concrete, stamped concrete, exposed aggregate concrete or pavers.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
AGGREGLOSS SATIN J25S 1G DSC	1 gallon (6/case)	305645	\$60.43 GL	8.23 GL	
AGGREGLOSS SATIN J25S 5G DSC	5 gallon pail	305646	\$52.33 GL	8.23 GL	
AGGREGLOSS SATIN J25S 55G DSC	55 gallon drum	305647	\$47.55 GL	7.80 GL	

Anti Spall J33

Protects new and old concrete surfaces from progressive deterioration caused by freeze/thaw cycles and deicing salts. It is specially formulated to resist the penetration of water and deicing salts.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
ANTI SPALL J33 5G DSC	5 gallon pail	69180	\$25.45 GL	7.72 GL	
ANTI SPALL J33 55G DSC	55 gallon drum	69179	\$23.03 GL	7.72 GL	

Tuf Seal™ J35

Provides improved gasoline/oil resistance, but it will also help to prevent dusting, spalling and inhibit efflorescence. Clean-up time is reduced and simplified since dirt, grease and/or oil that normally soaks into the concrete are easily removed from the coating. Tuf Seal J35 not only offers protection for concrete surfaces, but it can also protect and beautify exposed aggregate and stamped concrete.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
TUF SEAL J35 1G DSC	1 gallon (6/case)	69078	\$66.94 GL	8.03 GL	
TUF SEAL J35 5G DSC	5 gallon pail	69077	\$53.62 GL	8.13 GL	
TUF SEAL J35 55G DSC	55 gallon drum	69076	\$50.95 GL	8.13 GL	

Tuf Seal™ Satin J35S

Provides improved gasoline/oil resistance, but it will also help to prevent dusting, spalling and inhibit efflorescence. Clean-up time is reduced and simplified since dirt, grease and/or oil that normally soaks into the concrete are easily removed from the coating. It can also offer protection for concrete surfaces, but it can also protect and beautify exposed aggregate and stamped concrete.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
TUF SEAL SATIN J35S 1G DSC	1 gallon (6/case)	68078	\$69.75 GL	7.80 GL	
TUF SEAL SATIN J35S 5G DSC	5 gallon pail	68077	\$59.78 GL	8.13 GL	
TUF SEAL SATIN J35S 55G DSC	55 gallon drum	68076	\$57.30 GL	8.13 GL	

Anti Slip Additive

Grip Aid

When added as a sealer, Grip Aid provides slip resistance providing a "bite" to the concrete surface, without being highly abrasive.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
GRIP AID 16OZ. DSC	16 oz.	273497	\$45.11 EA	1.10 EA	

Liquids

Concrete Dissolver

Dissolve It

Removes hardened concrete from concrete handling or finishing equipment such as: screeds, trowels, concrete forms, anchors, hardware, mixers or ready-mix truck. Dissolve It will also remove masonry mortar from equipment, mixers, etc.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
DISSOLVE IT CONCRETE DISSOLVER 1 GL	1 gallon	145537	\$37.54 GL	9.42 GL	
DISSOLVE IT CONCRETE DISSOLVER 5 GL	5 gallon pail	145538	\$30.54 GL	9.42 GL	
DISSOLVE IT CONCRETE DISSOLVER 55 GL	55 gallon drum	145539	\$28.21 GL	9.42 GL	

Liquids

Surface Retarders

Top Cast®

Ideal for cast-in-place flatwork and the top surface of pre-cast concrete panels. The wide selection of grades available provides a comprehensive range of effects, from a simulated light acid wash or sand blast finish up to full exposure of 1-1/4 in. (32 mm) aggregate. Top Cast is VOC Compliant.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	MSRP (0-175 Gallons)	MSRP (180+ Gallons)	Weight (lbs)	*
TOP CAST 01 WHITE 5G DSC	01 White - 5GL	100123	\$51.71	\$51.71 GL	\$44.14 GL	9.04 GL	F
TOP CAST VIOLET 03 5G DSC	Violet 03 - 5 GL	309055	\$51.71	\$51.71 GL	\$44.14 GL	9.40 GL	F
TOP CAST LIGHT BLUE 05 5G DSC	Light Blue 05 - 5 GL	309056	\$51.71	\$51.71 GL	\$44.14 GL	9.40 GL	F
TOP CAST YELLOW 15 5G DSC	Yellow 15 - 5 GL	309057	\$51.71	\$51.71 GL	\$44.14 GL	9.40 GL	F
TOP CAST BEIGE 25 5G DSC	Beige 25 - 5 GL	309058	\$51.71	\$51.71 GL	\$44.14 GL	9.40 GL	F
TOP CAST CANARY GREEN 50 5G DSC	Canary Green 50 - 5 GL	309059	\$51.71	\$51.71 GL	\$44.14 GL	9.40 GL	F
TOP CAST BLUE 75 5 GL DSC	Blue 75 - 5 GL	145523	\$51.71	\$51.71 GL	\$44.14 GL	9.40 GL	F
TOP CAST GRAY 100 5 GL DSC	Gray 100 - 5 GL	145524	\$51.71	\$51.71 GL	\$44.14 GL	9.40 GL	F
TOP CAST PINK 125 5 GL DSC	Pink 125 - 5 GL	145525	\$51.71	\$51.71 GL	\$44.14 GL	9.40 GL	F
TOP CAST GREEN 150 5 GL DSC	Green 150 - 5 GL	145526	\$51.71	\$51.71 GL	\$44.14 GL	9.40 GL	F
TOP CAST SALMON 200 5 GL DSC	Salmon 200 - 5 GL	145527	\$51.71	\$51.71 GL	\$44.14 GL	9.40 GL	F
TOP CAST ORANGE 250 5 GL DSC	Orange 250 - 5 GL	145528	\$51.71	\$51.71 GL	\$44.14 GL	9.40 GL	F

Top Cast® SS-100

When SS 100 is applied to the face of brick or tile prior to being placed in the form, the adherence of grout or concrete will be eliminated, which may leak through the joints during placement and vibration. It is water-soluble and should be applied the same day of placement for best results.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	MSRP (0-175 Gallons)	MSRP (180+ Gallons)	Weight (lbs)	*
TOP CAST® SS-100 1G DSC	1 gallon jug	100365	\$53.00	\$53.00 GL	\$45.43 GL	9.40 GL	F
TOP CAST® SS-100 5G DSC	5 gallon pail	309054	\$51.71	\$51.71 GL	\$44.14 GL	9.40 GL	F

Liquids

Water Repellents

Water Based

Weather Worker™ 10% J26WB

Offers outstanding long term weatherproof protection for all types of concrete and masonry surfaces and can be used on numerous types of surfaces such as Cast-In-Place Concrete Precast and Prestressed Concrete Exposed Aggregate Concrete Porous and Dense Brick Concrete Stucco Sandstone and Limestone.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
WEATHER WORKER WB 10% J26WB 5G DSC	5 gallon pail	68962	\$38.02 GL	8.84 GL	F
WEATHER WORKER WB 10% J26WB 55G DSC	55 gallon drum	68961	\$35.70 GL	8.84 GL	F

Solvent Based

Weather Worker™ 40% J29

Providing long term weatherproofing protection for all types of concrete and masonry surfaces that will dramatically increase the life expectancy of concrete or masonry.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
WEATHER WORKER 40% J29 5G DSC	5 gallon pail	69138	\$76.59 GL	7.65 GL	
WEATHER WORKER 40% J29 55G DSC	55 gallon drum	69137	\$74.26 GL	7.65 GL	

Weather Worker™ 100% J29A

Delivers wonderful long term weatherproof protection for all types of concrete and masonry surfaces that will dramatically increase the life expectancy of concrete or masonry.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
DAYTON J29A WEATHER WORKER 100% 5G	5 gallon pail	68057	\$81.83 GL	8.14 GL	
DAYTON J29A WEATHER WORKER 100% 55G	55 gallon drum	68056	\$76.82 GL	8.14 GL	

Powders

Concrete Repair

General Use Repair Mortars

PolyFast™ FS

A polymer modified mortar that can be used for vertical, horizontal and overhead repairs of concrete structures for interior or exterior, above or below grade applications. It can be used as a structural repair for bridges, tunnels, parking structures, dams, walls, columns, etc. It is also excellent for the repair of precast concrete products, i.e., pipes, beams, steps and the like.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
POLYFAST FS 50LB BAG DSC	50 lb. bag	67358	\$37.70 EA	50.50 EA	
POLYFAST FS 50LB PAIL DSC	50 lb. pail	67359	\$56.73 EA	53.00 EA	

Recrete™ 5 Minute

Used as a general purpose concrete patching product which can be used to repair concrete pipe, precast concrete products, large floor cracks, concrete steps, walls, columns, concrete blocks, sidewalks, driveways, etc. Specially formulated to provide a very fast setting repair mortar with excellent workability for light traffic for both interior and exterior.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
RECRETE 5 MINUTE 50LB BAG DSC	50 lb. bag	67300	\$29.55 EA	50.50 EA	
RECRETE 5 MINUTE 50LB PAIL DSC	50 lb. pail	67305	\$39.42 EA	53.00 EA	

Recrete™ 20 Minute

Created to provide a fast setting repair mortar with excellent workability. It can be used as a general purpose concrete patching product to repair concrete pipe, precast concrete products, large floor cracks, concrete steps, walls, columns, concrete blocks, sidewalks, driveways, etc.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
RECRETE 20 MINUTE 50LB BAG DSC	50 lb. bag	67310	\$29.55 EA	50.50 EA	
RECRETE 20 MINUTE 50LB PAIL DSC	50 lb. pail	67315	\$39.42 EA	53.00 EA	

Recrete™ Light 20 Minute

Specially formulated to provide a fast setting repair mortar with excellent workability. It can be used as a general purpose concrete patching product to repair concrete pipe, precast concrete products, large floor cracks, concrete steps, walls, columns, concrete blocks, sidewalks, driveways, etc.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
RECRETE LIGHT 20 MINUTE 50LB BAG DSC	50 lb. bag	67311	\$38.31 EA	50.50 EA	
RECRETE LIGHT 20 MINUTE 50LB PAIL DSC	50 lb. pail	67312	\$63.01 EA	53.00 EA	

Powders

Concrete Repair

Vertical / Overhead Repair

Architectural Finish™

A trowel applied mortar designed to eliminate small concrete surface blemishes, rough areas, bug holes and form marks on poured walls, tiltup and precast.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
ARCHITECTURAL FINISH 60 BAGS PER SKID 40LB.BAG DSC	40 lb. bag	308236	\$25.95 EA	40.50 EA	
ARCHITECTURAL FINISH 40LB. PAIL DSC	40 lb. pail	308237	\$42.02 EA	43.00 EA	

Perma Patch™ VO

Used when bridge columns, parking structures columns, spandrels beams, concrete ceilings, tunnels, pipes, pilings and any other vertical or overhead concrete repair application requires excellent durability and strength.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
PERMA PATCH VO 50LB 50 lb. bag BAG DSC	50 lb. bag	308247	\$36.44 EA	50.50 EA	
PERMA PATCH VO 50LB 50 lb. pail PAIL DSC	50 lb. pail	308659	\$53.14 EA	53.00 EA	

HD 25 VO

A polymer modified mortar that can be used for vertical and overhead repairs of concrete structures both inside and outside and above or below grade. It can also be used as a structural repair for bridges, tunnels, parking structures, dams, walls, columns, etc. and is an excellent repair material for precast concrete products, such as pipes, beams and steps.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
HD 25 VO 50LB DSC	50 lb. bag	67458	\$37.07 EA	50.50 EA	

Civil/Structural VO

For repairing of concrete above and below grade on both vertical and overhead applications. Typical applications include repair of columns, bridges, tunnels, parking structures, retaining walls, dams, etc.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CIVIL/STRUCTURAL VO 50LB DSC	50 lb. bag	308762	\$40.77 EA	50.50 EA	

Form & Pour Repair

Civil/Structural FPX

Excellent for use as a repair material or resurfacing for parking facilities, industrial plants, bridges, tunnels, dams, balconies or any deep section repair of concrete that utilizes form and pour or form and pump applications. Can be used on-grade, above, and below grade; horizontal, vertical and overhead; interior or exterior; structural and general repairs where 1 in. (2.54 cm) to 12 in. (30.48 cm) thickness is required.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CIVIL/STRUCTURAL FPX 55LB.BAG DSC	55 lb. bag	308765	\$28.43 EA	55.50 EA	
CIVIL/STRUCTURAL FPX 2500LB.SUPERSACK DSC	2500 lb. Supersak	308771	\$1,297.23 EA	2530.00 EA	

Powders

Concrete Repair

Form & Pour Repair

Perma Patch™ FP

Designed for all structural and general horizontal concrete repairs (interior, exterior, above and below grade) where sufficient working time during placement and high early strength is required.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
PERMA PATCH FP 50LB DSC	50 lb. bag	308246	\$34.61 EA	50.50 EA	

Horizontal Repair Mortars

Thin ReSurfacer

This mortar is ideal for thin resurfacing of rain damaged, new concrete surfaces or for badly spalled older concrete surfaces. It is used for leveling and repairing floors and resurfacing concrete areas such as sidewalks, plaza areas, driveways, parking decks, and loading docks.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
THIN RESURFACER 50LB BAG DSC	50 lb. bag	67483	\$39.14 EA	50.50 EA	

Special Patch

For all horizontal concrete and general repairs (interior and exterior, above and below grade). Ideal for parking deck repairs, ramps and roadways, as well as interior warehouse floors subjected to heavy loads and abrasion.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
SPECIAL PATCH 50LB BAG AND JUG DSC	50 lb. bag and jug kit	139952	\$53.14 EA	60.00 EA	
SPECIAL PATCH 50 LB BAG/ WITH PAIL& JUG50 LB -PAIL & JUG KIT DSC	50 lb. pail and jug kit	139951	\$60.54 EA	60.00 EA	

HD 50

Designed for the repair of heavy duty surfaces such as concrete highways, bridge decks, parking structures, airport runways, freezer rooms, industrial and warehouse floors, and loading docks. HD 50 is a flowable material that may be poured into place for horizontal applications or into formed vertical and overhead applications.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
HD 50 50LB DSC	50 lb. bag	67460	\$45.11 EA	50.50 EA	

Pave Patch 3000

Created for the repair of heavy duty surfaces such as concrete highways, bridge decks, parking structures, airport runways, freezer rooms, industrial and warehouse floors, and loading docks. Pave Patch 3000 is a pourable material that may be poured into place for horizontal applications or into formed vertical and overhead applications.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
PAVE PATCH 3000 50# DSC	50 lb. bag	143333	\$33.38 EA	50.50 EA	

Powders

Concrete Repair

Resin Based Repair Mortars

Sure Patch™

Used for epoxy interior or exterior concrete repair and overlays on interior horizontal surfaces and for interior industrial and commercial applications subjected to abrasion and or chemical spills.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
SURE PATCH 0.5CU.FT. DSC	0.5 cu. ft. unit	139890	\$206.94 EA	61.50 EA	
SURE PATCH 2.0CU.FT. DSC	2.0 cu. ft. unit	139891	\$647.45 EA	224.00 EA	

Epoxy/Cement Based Bonding Agent/Rebar Primer

Perma Prime™ 3C

This bonding agent can be used for new to hardened concrete. It is a corrosion inhibitor for reinforcing steel and a bonding agent for cementitious or epoxy repair mortars.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
PERMA PRIME 3C 3.2G DSC	3.2 gallon unit	139813	\$279.03 EA	50.00 EA	

Specialty Repair

Anchor All

Used for anchoring bolts, rails, posts and dowels into concrete where a non-shrink, rapid-setting anchoring cement is required.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
ANCHOR ALL 50# PAIL DSC	50 lb. pail	143407	\$51.21 EA	53.00 EA	

Waterstop™

Designed to be used to stop water flow through non-moving cracks, crevices and holes in concrete or masonry surfaces. Waterstop can also be used as a plug for cisterns, sewers, tunnels, mines and dams.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
WATERSTOP 50LB DSC	50 lb. pail	67375	\$65.50 EA	53.00 EA	

Hardeners/Industrial Toppings

Emery Tuff Light Reflective

Emery Tuff is a dry shake floor hardener designed for application to freshly cast horizontal concrete to harden and densify the surface.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
DAYTON EMERY TUFF LIGHT REFLECTIVE 50# BAG	Light Reflective - 50 lb. bag	67525	\$62.36	50.50 EA	

Powders

Hardeners/Industrial Toppings

Emery Tuff Natural

A dry shake floor hardener designed for application to freshly cast horizontal concrete to harden and densify the surface.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
EMERY TUFF NATURAL 50LB DSC	Natural - 50 lb. bag	67510	\$49.21	50.50 EA	

Emery Non-Slip

Emery Tuff is a dry shake floor hardener designed for application to freshly cast horizontal concrete to harden and densify the surface.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
DAYTON EMERY NON-SLIP 50 LB BAG	50 lb. bag	67503	\$69.48	50.00 EA	

Emery Tuff Top

Designed to provide an extremely hard, dense and abrasion resistant floor topping for heavy duty applications. Concrete floors protected by Emery Tuff Top will be very resistant to dusting, spalling, deterioration and surface abrasion.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
EMERY TUFF TOP 80LB BAG DSC	80 lb. bag	67569	\$83.01	80.50 EA	
EMERY TUFF TOP 3000LB.SUPERSACK DSC	3000 lb. bag	126496	\$3,242.38	3005.00 EA	

Emery Tuff Top Flowable

Designed to provide an extremely hard, dense and abrasion resistant floor topping for heavy duty applications. Concrete floors protected by Emery Tuff Top will be very resistant to dusting, spalling, deterioration and surface abrasion.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
EMERY TUFF TOP FLOWABLE 80 LB BAG DSC	80 lb. bag	145095	\$78.51 EA	80.50 EA	
EMERY TUFF TOP FLOWABLE 3000 LB SUPER SACK DSC	3000 lb. bag	145096	\$2,944.06 EA	3030.00 EA	

Ferro Tuff Natural

Designed to provide an extremely dense, abrasion resistant and ductile floor for heavy duty applications. The ductile iron aggregate helps prevent spalling, deterioration and surface abrasion. Surface applications include airplane hangers, manufacturing plants including car, truck and tractor assembly plants, processing plants, warehouses, loading docks, foundries, smelters, generating stations, industrial plants, etc.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
FERRO TUFF NATURAL 50LB DSC	Natural - 50 lb. bag	67550	\$59.57	50.50 EA	

Quartz Tuff Light Reflective

Quartz Tuff is a dry shake floor hardener designed for application to freshly cast horizontal concrete to harden and densify the surface.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
QUARTZ TUFF LIGHT REFLECTIVE 55LB.BAG DSC	Light Reflective - 55 lb. bag	67545	\$32.15 EA	55.50 EA	

Powders

Hardeners/Industrial Toppings

Quartz Tuff Natural

This dry shake floor hardener is designed for application to freshly cast horizontal concrete to harden and densify the surface.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
QUARTZ TUFF NATURAL 55LB.BAG DSC	Natural - 55 lb. bag	67530	\$15.32 EA	55.50 EA	

Floor Levelers

Levelayer®

Developed as a leveler for interior new construction projects to correct rough, unfinished, or uneven floors or on restoration projects, to produce a smooth, even finish over existing substrate.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
LEVELAYER 50LB DSC	50 lb. bag	67451	\$46.65 EA	50.50 EA	

Econolevel™

Used to level or create a smooth surface on interior floors and can be used on new construction projects to correct rough, unfinished or uneven floors prior to installation of the finished flooring.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
ECONOLEVEL 50LB DSC	50 lb. bag	308189	\$40.54 EA	50.50 EA	

Sure Finish™

Creates an exceptionally smooth underlayment prior to the installation of floor coverings such as carpet, VCT, sheet vinyl, wood and other flooring surfaces.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
SURE FINISH 10LB. DSC	10 lb. pail	305629	\$33.69 EA	10.50 EA	
SURE FINISH 25LB.S DSC	25 lb. pails	305630	\$63.62 EA	33.00 EA	

Level Primer J42RTU

Used prior to application of interior self leveling underlayments and floor toppings to reduce pinholes and improve the bond of the floor leveler to concrete surfaces.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
LEVEL PRIMER J42RTU 1G DSC	1 gallon (4/case)	308190	\$53.85 GL	9.21 GL	F
LEVEL PRIMER J42RTU 5G DSC	5 gallon	308191	\$41.02 GL	9.21 GL	F

Powders

Floor Levelers

Level Primer J42

Used prior to application of interior self leveling underlayments and floor toppings to reduce pinholes and improve the bond of the floor leveler to concrete surfaces.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
LEVEL PRIMER J42 1G DSC	1 gallon pail	69114	\$61.78 GL	9.50 GL	F
LEVEL PRIMER J42 5G DSC	5 gallon pail	69113	\$47.79 GL	9.50 GL	F

Level Topping™

Level Topping can be used to level or create a solid surface on interior industrial type concrete floors for new construction projects. It is used to correct rough or unfinished concrete and to level out uneven floors or on restoration projects to produce a hard even finish over old concrete. **Do not use outdoors.**

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
LEVEL TOPPING 50LB DSC	50 lb. bag	67457	\$49.40 EA	50.50 EA	

Level Topping™ Exterior

This floor leveler can be used outdoors to level or create a solid surface on interior industrial type concrete floors for new construction projects. It corrects rough or unfinished concrete and is used to level out uneven floors or on restoration projects to produce a hard even finish over old concrete.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
LEVEL TOPPING EXTERIOR 50LB DSC	50 lb. bag	306188	\$58.62 EA	50.50 EA	

Grouts

Cement Based Grout

1107 Advantage™ Grout

Exterior gouting of structural column base plates, pump and machinery bases, anchoring bolts, dowels, bearing pads and keyway joints. It finds applications in paper mills, oil refineries, food plants, chemical plants, sewage and water treatment plants etc.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
1107 ADVANTAGE GROUT 20LB DSC	20 lb. bag	145458	\$13.48 EA	50.50 EA	
1107 ADVANTAGE GROUT 50LB DSC	50 lb. bag	67435	\$21.17 EA	50.50 EA	
1107 ADVANTAGE GROUT 3000LB SUPERSACK DSC	3000 lb. supersack	67437	\$1,260.00 EA	3005.00 EA	

Powders

Grouts

Cement Based Grout

Sure-Grip® High Performance Grout

An ideal product for interior or exterior grouting of architectural and structural precast concrete components, structural column base plates, machinery bases, anchoring bolts, cable anchorages, dowels, bearing pads, keyway joints, crane rails or anywhere a high quality engineered grout is required.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
SURE-GRIP HIGH PERFORMANCE GROUT 50LB DSC	50 lb. bag	67440	\$32.45 EA	50.50 EA	
SURE-GRIP HIGH PERFORMANCE GROUT 3000LB.SUPERSACK DSC	3000 lb. supersack	122964	\$2,029.91 EA	3005.00 EA	

Sure-Grip® Precision Grout

Used as a versatile, non-shrink, non-metallic material that provides precision grouting in fluid, flowable or dry pack consistencies. It is recommended for grouting bearing plates and base plates, columns, beams and precast walls, equipment and pumps, shear keys etc.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
SURE-GRIP PRECISION GROUT 50LB DSC	50 lb. bag	309325	\$24.19 EA	50.50 EA	

Dri Pak Precast Grout

Designed to provide an effective load bearing surface through its controlled expansion.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
DRI PAK PRECAST GROUT 50LB DSC	50 lb. bag	67445	\$28.22 EA	50.50 EA	

Turbo Grout HP12®

Ideal product for grouting wind turbine towers, structural column base plates, machinery bases, anchoring bolts, dowels, bearing pads, keyway joints, crane rails etc.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
TURBO GROUT HP12 50LB DSC	55 lb. bag	309021	\$46.37 EA	55.00 EA	

Turbo Grout LT12

Designed for the grouting of base plates for Wind Turbine towers, machinery and equipment base plates, columns, crane rails etc.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
TURBO GROUT LT12 50LB DSC	50 lb. bag	309013	\$98.75 EA	50.50 EA	

Powders

Grouts

Cement Based Grout

Underwater Grout

Recommended for underwater grouting for bridge columns, concrete pilings and dam repairs where a "wash-out" resistant, free-flowing or pumpable nonshrink, high strength grout is required.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
UNDERWATER GROUT 50LB DSC	50 lb. bag	309351	\$34.31 EA	50.50 EA	

D490 Sleeve-Lock® Grout

Specially formulated cement based, nonmetallic, non-shrink grout designed for the grouting of the Dayton Superior D410 Sleeve-Lock® Grout Sleeve.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
D490- SLEEVE-LOCK GROUT USA 50 LB BAG	50 lb. bag	308993	\$69.60 EA	50.50 EA	

Epoxy Grout

Epoxy Grout J55

Can be used for anchor bolts and sleeves, supporting pumps, mill tables, crushers, crane rails, engines, compressors, rotary equipment and other heavy machinery requiring a stable and energy absorbing base subject to dynamic loads to maintain precision alignment.

Please Note: * F = Protect From Freezing

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
EPOXY GROUT J55 0.5CU.FT. UNIT DSC	.5 cu. ft. unit	309213	\$184.15 EA	71.60 EA	F
EPOXY GROUT J55 2CU.FT. UNIT DSC	2 cu. ft. unit	309214	\$518.97 EA	287.00 EA	F

Waterproofing/Coating

Vertical/Overhead

Seal Coat 1000™

Especially effective on concrete and masonry walls where it is applied either as a waterproofing coat or mixed with clean washed sand as a heavy coat to conceal mortar joints and it can also eliminate the need for tuckpointing old masonry buildings.

Description	Packaging	Product Code	MSRP	Weight (lbs)	
SEAL COAT 1000 50 LB BAG	50 lb. bag	67390	\$34.13	50.50 EA	

Tools/Equipment

Underlayment Tool Kit

Dayton Superior's Flooring Materials Tool Kit consists of all the tools necessary to mix up and install self-leveling underlayments and toppings. The kit can also be used for decorative concrete jobs as well.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
UNDERLAYMENT TOOL KIT 1 KIT DSC	1 kit	67450	\$226.50 EA	14.00 EA	

Spray-Pro DC

This spray pump attaches to a battery and has 25 foot power cord with battery clamps.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
SPRAY-PRO DC 45LB. BOX DSC	45 lb. box	309232	\$1,706.10 EA	45.00 EA	

Spray-Pro AC

The Spray-Pro AC plugs into a generator and has a 9 foot power cord.

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
SPRAY-PRO AC 45LB. BOX DSC	45 lb. box	309233	\$1,706.10 EA	45.00 EA	

AT1500X Pneumatic 1:1 Gun (51 OZ.)

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
AT1500X PNEUMATIC 1:1 GUN(51 OZ.) DSC	One Gun	140954	\$858.94 EA	10.00 EA	

AT600 Pneumatic 1:1 Gun (22 OZ.)

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
AT600 PNEUMATIC 1:1 GUN (22 OZ.) DSC	One Gun	140952	\$847.16 EA	10.00 EA	

AT825 Pneumatic 10:1 Gun (28 OZ.)

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
AT825 PNEUMATIC 10:1 GUN (28 OZ.) DSC	One Gun	140953	\$847.16 EA	10.00 EA	

B26 Manual Caulk Gun

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
B26 MANUAL CAULK GUN DSC	One Gun	141293	\$43.22 EA	5.00 EA	

Black Blue Push Connector

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
BLACK BLUE PUSH CONNECTOR DSC	One Connector	141833	\$5.89 EA	0.02 EA	

Corner Port w/ Cap

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
CORNER PORT W/CAPS	One Port w/ Cap	141310	\$1.58 EA	0.02 EA	

Tools/Equipment

Drill Port w/ Cap

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
DRILL IN PORT W/ CAP DSC	One Port w/ Cap	140949	\$1.43 EA	0.02 EA	

High Flow Nozzle w/ Extension

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
HIGH FLOW NOZZLE W/EXTENSION	One Nozzle w/ Ext.	141824	\$3.31 EA	0.03 EA	

Machine Surface Port w/ Cap

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
MACHINE SURFACE PORT W/ CAP DSC	One Port w/ Cap	140951	\$1.43 EA	0.02 EA	

Surface Port w/ Cap

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
SURFACE PORT WITH 2 PC / CAP & NOZZLE EA/UNITEX	Port w/ 2 pc Cap & Nozzle	140948	\$1.08 EA	0.02 EA	

T600 Manual 1:1 Caulking Tool (22 OZ.)

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
T600 MANUAL 1:1 CAULKING TOOL (22 OZ.) DSC	One Gun	141487	\$124.45 EA	5.00 EA	

Battery Operated Caulking Tool w/ 600 ML

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
BATTERY OPERATED CAULKING TOOL W/ 600 ML	One Gun	100216	\$1,870.54 EA	7.50 EA	

T825 Manual 10:1 Caulking Tool (28 OZ.)

Description	Packaging	Product Code	MSRP	Weight (lbs)	*
T825 MANUAL 10:1 CAULKING TOOL(28 OZ.) DSC	One Gun	141680	\$129.43 EA	5.00 EA	